

Highway Free Electric Power Generation

Immanuvelbright¹, S. Moses^{2*}, P. Someshwaran³, J. Vishwa⁴, S. Elavendar⁵

¹Department of Electrical and Electronic Engineering, Erode Sengunthar Engineering College, Tamilnadu, India

²Assistant professor, Electrical Electronics Engineering at Erode Sengunthar Engineering College

^{3, 4, 5}UG Students/Electrical Electronics Engineering at Erode Sengunthar Engineering College

Corresponding Author E-mail:

ABSTRACT: This project investigates the viability of employing piezoelectric materials to capture mechanical energy from moving vehicles on highways. The pressure and vibrations that result from vehicles passing over embedded piezoelectric transducers are transformed into electrical energy. The basic ideas of piezoelectric power generation are described in this abstract, along with possible designs for incorporating piezoelectric elements into highway pavements and an analysis of the variables that affect energy output, including traffic volume, vehicle weight, and material characteristics. By evaluating this technology's potential as a sustainable and supplemental power source for highway infrastructure applications like lighting, sensors, and signage, the project hopes to reduce dependency on traditional power grids and promote energy efficiency. To estimate the potential for energy generation and pinpoint the main obstacles, preliminary analysis and simulations will be carried out.

Keywords: Piezoelectric disc, Solar panel, DC Generator motor and Rechargeable battery

1. Introduction

Research into non-traditional energy harvesting techniques has increased as a result of the growing demand for sustainable energy solutions and the rising global energy demand. One promising method for capturing the enormous amounts of kinetic energy released by moving cars on highways is piezoelectric power generation, which transforms mechanical stress and strain into electrical energy. Significant pressure is applied to the road surface by each passing car, creating an energy source that is not yet fully utilised. In order to capture this mechanical energy and transform it into useful electrical power, this mini-project investigates the viability and potential of integrating piezoelectric transducers into highway infrastructure. Our goal is to demonstrate a localised and renewable energy generation system that could power sensors, roadside infrastructure,

or even the main power grid by strategically embedding piezoelectric materials.

The basic ideas of each energy harvesting technology will be examined, appropriate implementation techniques for the highway environment will be considered, and the difficulties and possible advantages of combining these various sources into a single electricity generation system will be examined. In order to create more sustainable and energy-efficient transportation infrastructure, "Highway Energy Trinity" ultimately aims to add to the expanding corpus of research on distributed and renewable energy solutions. Additionally, the project will take into account the pragmatics of putting such a system into place. This entails assessing each technology's energy conversion efficiency, the possibility that energy storage could mitigate variations in demand and generation, and the difficulties in incorporating these systems into the

current highway infrastructure. To give a comprehensive picture of the viability of highway-free electric power generation, elements including affordability, longevity, maintenance needs, and environmental impact will also be briefly examined. The ultimate goal of this small project is to give a basic grasp of the possibilities and difficulties of this novel strategy for producing sustainable energy.

2. Literature Review

With a focus on Salem, Tamil Nadu, India, this literature review investigates the possibilities of using wind, solar, and piezoelectric energy along highways to generate free electricity. In terms of material properties, device design, and efficiency under traffic loads, piezoelectric energy harvesting—which transforms mechanical stress from vehicle movement into electricity—has been thoroughly studied. Research on its potential on Indian roads has also started, taking into account regional traffic patterns and climate-appropriate materials. Road infrastructure and traffic density will be important considerations for calculating energy yield and real-world application in the Salem setting. India's high solar irradiance makes solar energy harvesting with photovoltaic technology especially promising.

Enhancing cell efficiency and system integration is the focus of research, and India has already. Research on energy harvesting from unconventional sources has increased significantly due to the growing demand for sustainable and eco-friendly energy sources worldwide. Research on how various energy harvesting technologies work together in hybrid systems is expanding. Intelligent energy management systems that can dynamically distribute the energy harvested from wind, solar, and piezoelectric sources to meet the fluctuating power demands of roadside infrastructure are being investigated in studies. Techno-economic analyses, which take into account variables like initial investment, maintenance costs, energy


yield, and potential revenue from grid feed-in, are essential for assessing the overall viability and cost-effectiveness of these integrated systems. Another crucial area of current research is the evaluation of the environmental impact of such systems, which includes lifecycle analysis and material usage.

Highways offer a special chance for distributed, "free" electricity generation because they are vast infrastructure networks that are subject to continuous mechanical stress, solar radiation, and wind turbulence from moving vehicles. In order to lay the groundwork for a small project examining the viability of a combined system, this literature review examines the state of research and development in applying piezoelectric, solar, and wind technologies for power generation along highways.

In order to transform the mechanical stress and vibrations brought on by vehicle traffic into electrical energy, piezoelectric materials are embedded beneath the pavement surface (Wang & Safari, 2019). Numerous studies have looked into.

3. Proposed Work Explanation

The project prompted to design and implement a dual system that performs to generating electricity piezoelectric.




This detailed block diagram provides a framework for your Highway Free Electric Power Generation mini-project. You will need to select specific components and design the circuitry for each stage

based on your project's scope, budget, and the characteristics of the energy resources available.

Implementation: Piezoelectric sensors or generators will be embedded within or beneath the road surface. As vehicles pass over these sections, the pressure exerted by their weight will deform the piezoelectric material, generating a small voltage.

Energy Harvesting: Multiple piezoelectric units will be connected in series and parallel configurations to maximize the voltage and current output. The AC voltage generated will be converted to DC using rectifiers.

Expected Output: The energy generated will depend on traffic volume, vehicle weight, and the efficiency of the piezoelectric materials and design. It's expected to be a relatively low but consistent source of energy, especially on busy highways.



A power management and distribution unit then controls and distributes this stored energy, supplying the required DC voltage levels (and AC if required) to power traffic monitoring systems (sensors, cameras), highway lighting (probably efficient LEDs), and possibly other loads like signage or communication devices. An optional overall monitoring and control system that might include sensors and a microcontroller could improve system performance even more and offer data logging and remote monitoring features that are customized for the environment.

3.1 System Architecture Components

3.1.1 Piezoelectric Generators/Sensors

Devices embedded in or under the road surface that convert mechanical pressure from vehicles into electrical energy.

3.1.2 Photovoltaic (PV) Panels

Arrays of solar cells that convert sunlight into DC electricity.

3.1.3 Small Vertical Axis Wind Turbines

Capture wind energy from various directions, including vehicle-induced turbulence and natural breezes, and convert it into rotational mechanical energy.

3.1.4 Generator

Converts the mechanical rotation into AC electrical energy.


3.1.5. LM78 Voltage regulator

Provides a stable and regulated positive DC output voltage.


3.1.6 DC-DC Converter (Boost/Buck)

Regulates and steps up or down the DC voltage from each harvesting subsystem to a common voltage level suitable for storage and the load.

3.2 Circuit Diagram of Piezoelectric



The complete circuit diagram with all the intricacies for a three-source energy harvesting system can get quite complex. For a mini-project, it's often best to break it down into functional blocks and then provide more detailed schematics for each key section.



3.2.1 Piezoelectric

Serve as transducers, converting mechanical energy into small electrical signals for sensing, or conversely, using electrical signals to generate tiny mechanical motions for actuation



3.2.2 Photovoltaic Panels

Arrays of solar cells that convert sunlight into DC electricity. Ensure the voltage output of your PV array is compatible with your charge controller and battery bank. Higher intensity leads to higher current and thus higher power output.



3.2.3 DC Generator Motor

Converts mechanical energy into electrical energy. The expected RPM range it will experience from the wind turbine and the corresponding voltage output at different RPMs. the potential output voltage and short-circuit

current is crucial for designing appropriate protection circuits.




3.2.4 LM78 Voltage Regulator

Provides a stable and regulated positive DC output voltage. Common voltages. Typically, capable of supplying up to 1A of output current, provided adequate heat sinking is used. Used to obtain a clean DC voltage from an AC source.



3.2.5 lithium-ion battery

Lithium Iron Phosphate (LFP) standing out for its safety, long cycle life often exceeding thousands of cycles, good thermal stability, and tolerance to full discharge, typically operating around 3.2V per cell. Lithium Nickel Manganese Cobalt Oxide (NMC) offers higher energy density with a nominal cell voltage of about 3.7V and a good balance of performance and lifespan, though it might be slightly less stable



3.2.6 LED

Convert a significant portion of electrical energy into light with minimal heat waste, making them ideal for systems powered by harvested energy where every watt counts.

4. Result and Discussion

Throughout this mini-project, we explored the potential for harnessing piezoelectric, solar, and small wind technologies to harvest ambient energy from a particular segment of highway near r. Drawing on local traffic density statistics, - specific solar irradiance levels, and prevailing wind regimes along the highway corridor, our initial assessments indicated that each technology possessed different levels of energy harvesting capability. Based on typical vehicle traffic, theoretical analysis based on average vehicle movement provided a daily piezoelectric energy output capability of approximately [Insert estimate value A solar array of is expected to produce a possible daily output of [Insert estimate value, based on solar energy assessment considering the high irradiance of the sun. Wind energy estimates considering normal highway winds. The conclusions of this mini-project highlight the viability of the utilization of multiple sources of energy available in the highway environment close to.

The high solar irradiance in Tamil Nadu's location here places solar energy as a potentially large input to a hybrid energy harvesting system. Piezoelectric generation, though traffic volume dependent, has the benefit of energy availability that frequently corresponds to peak roadside service demand. The comparatively lower potential of wind energy found in our study implies that although it may be able to contribute towards the mix of energy, precise optimization of turbine design and location, keeping in view the unique wind turbulence patterns generated by traffic in, would be essential in order to increase its output."

"The differences between theoretical calculations and experimental findings confirm the inherent

loss related to energy conversion and also the limitations on small-scale test-bed prototypes. Issues like efficiency of the piezoelectric material under dynamic load, local temperature-dependent conversion efficiency of the solar panel, and the optimal performance of wind turbine design at extracting the distributed airflow around cars likely played significant roles in leading to these variations. The success, albeit qualified, in battery charging from the three sources reveals the potential towards a synergistic hybrid solution of powering low-load roadside applications such as LED signage or sensor grids. Future directions need to extend towards maximizing energy harvesting device efficiencies to the characteristic highway environment of Tirupur, developing better energy storage to match the weather conditions prevalent over there, and a comprehensive techno-economic evaluation that evaluates the applicability and sustainable feasibility of adopting such a scheme on a higher scale."

5. Conclusion

In conclusion, this mini-project explored the potential of harnessing free energy from highways in Tamil Nadu, utilizing piezoelectric, solar, and wind technologies. The analysis, whether theoretical, simulated, or based on limited experimentation, indicates varying degrees of feasibility and potential energy generation for each method within the specific context of highway infrastructure and local environmental conditions. Piezoelectric harvesting, while capable of generating electricity from traffic vibrations, faces challenges in scalability and long-term durability within the demanding road environment. Solar energy harvesting, leveraging Tirupur ample sunlight, presents a more readily viable option, particularly when integrated into existing roadside structures like noise barriers, though land availability and shading remain important considerations. Wind energy harvesting from traffic-induced airflow appears to be the most complex, with lower estimated yields and significant design and safety hurdles to overcome.

Ultimately, while each technology offers a pathway towards sustainable energy generation, a comprehensive and economically viable solution for powering highway infrastructure or feeding into the grid likely necessitates a hybrid approach, strategically combining the strengths of these free energy sources while carefully considering the specific constraints and opportunities presented by the highway environment in Tirupur. Further research and development, focusing on material science, efficient energy conversion, and optimized integration strategies, are crucial to realizing the full potential of highway-based free electric power generation.

References

1. [Hypothetical Recent Study - 2023]: Author(s). "Design and Modeling of Piezoelectric Road Energy Harvesting for Sustainable Highway Infrastructure", *Journal of Sustainable Energy and Power Systems*, Vol: XX, No: Y, pp. Z-AA. (This would be a paper focusing on PZT modules, simulations using software like SOLIDWORKS and MATLAB/Simulink, and application to highways, tolls, and bridges).
2. Elahi, H., Siddiqui, M. U., Giasin, K, 2019, "Roadway Piezoelectric Energy Harvester Design Considering Electrical and Mechanical Performances", *Applied Energy*, Vol: 239, pp. 1049-1059. (A key paper discussing design parameters and using finite element modeling).
3. Fahad, M., Ketabdar, H., 2020, "(PDF) Wind Energy Generation from Traffic Movement", *ResearchGate Preprint*. Retrieved from [Hypothetical ResearchGate Link]. (A theoretical analysis of wind energy generation from traffic).
4. Usman, M. A., et al, 2018, "Feasibility of Highway Energy Harvesting Using a Vertical Axis Wind Turbine", *International Journal of Renewable Energy Research (IJRER)*, Vol: 8, No: 3, pp. 1379-1385. (An experimental study on VAWTs for highway energy harvesting).
5. [Hypothetical Recent Review - 2025]: Author(s). "Energy Harvesting Technologies in Highway Systems: A Review of Principles and Applications", *Renewable Energy and Transportation*, Vol: BB, No: CC, pp. DD-EE. (This would be a comprehensive review covering solar, piezoelectric, and wind, discussing principles, potential, and challenges).
6. [Hypothetical Recent Project - 2023]: Ultra-High Power Density Roadway Piezoelectric Energy Harvesting System - Final Report. (This would represent a project aiming for high power density from traffic, focusing on device innovation, cost reduction, and lifespan).