

Harnessing the Power of RNN and U-Net Architecture in Predicting Heart Diseases

A. Divya^{1*}, D. Prithika², T. Priyadharshini³

^{1,2,3} Department of Computer science and Engineering, IFET College of Engineering, Gangarampalaiyam, Tamil Nadu.

prithika635@gmail.com, Cse.priya0703@gmail.com

Corresponding Author E-mail: div.anandan88@gmail.com

ABSTRACT: Detecting cardiovascular disease (CVD) early to improve outcomes for patients. This study presents a new method for predicting cardiac disease using U-NET architecture for accurate cardiac segmentation and repeated neural networks (RNNs) for continuous data analysis. To effectively predict heart disease, RNN models are used to examine temporal trends in patient data, including clinical records and ECG signals. U-NET is used using improved characteristic extraction to separate the morphology of medical images, such as MRI and CT scans, containing accurate images of heart structure. The combination of these two models uses the advantages of both architectures. U-NET provides accurate spatial analysis, while RNN provides dynamic temporal prediction. The effectiveness of the binding approach in increasing the identification accuracy of heart disease has been demonstrated by experimental results, and its potential as a powerful tool for its potential clinical decisions. The proposed method is more effectively than standard procedures and may provide an exciting way forward for modern cardiovascular treatment.

Keywords: RNN, ECG, EHR, LSTM, deep learning, AUC-ROC, HRV

1. Introduction

Heart diseases (CVDs) is major causes for lifelessness all over the world, and making early analysis and effective treatment necessary for improving patient results. Traditional diagnostic methods, such as electrocardiograms (ECGs) and imaging techniques, depend on the views of clinicians to identify subtle patterns indicate the heart disease. But these methods are mostly limited by human error, time limitations, and the complexity of interpreting large volumes of patient data. By automating and enhancing the examination of both temporal and spatial data, recent developments in machine learning particularly deep learning techniques have provided important information in overcoming these constraints.

In order to forecast heart disease and segment the heart, this study investigates the merging of two

potent deep learning architectures: Recurrent Neural Networks (RNNs) and U-Net. Time-series data from patient records, ECG signals, and other temporal medical indications can be analyzed effectively with RNNs because they are specifically made to handle sequential data. Early identification of cardiac illness can be predicted more accurately thanks to their capacity to identify long-term dependencies in time-series data.

Medical imaging uses U-Net, a convolutional neural network (CNN) architecture that is intelligently employed for image segmentation and cardiac structural segmentation. By implementing U-Net's influence to perform pixel-wise segmentation, this method allows for accurate delineation of critical cardiac structures such as the myocardium, ventricles, and blood vessels from medical images like MRI or CT

scans. Accurate providence of segmentation of these structures is necessary for understanding the condition of the heart and for making informed clinical decisions.

In this paper, we suggested a hybrid model that combines U-Net's spatial segmentation skills with RNNs' sequential learning power. In order to provide a more effective tool for early analysis, this combined method seeks to increase the accuracy of cardiac imaging analysis as well as the prediction of heart illness. Experiments on real-world datasets show how effective this model is and how it can provide extremely high performance when compared to traditional diagnostic techniques.

2. Related Work

Many studies have been taken to understand how accurately heart diseases are predicted, and some are discussed here. The paper "A One-Dimensional Convolutional Neural Network uses Deep Learning for Predicting Cardiovascular Diseases" uses the one-dimensional Convolutional Neural Networks for predicting heart diseases to save life [1].

The paper "Heart Disease Prediction Based on Stacking Classifiers Model" explores the use of stacking ensemble methods to predict heart disease. It reviews various traditional and machine learning approaches, noting that individual classifiers may have limitations in handling complex patterns in healthcare data [2].

The paper "Early Detection of Coronary Heart Disease (CHD) Using Ensemble Techniques" presents an approach to identify CHD at an early stage using machine learning. It reviews existing methods for CHD prediction, highlighting the importance of accurate early detection for effective treatment [3].

The paper "HCBiLSTM: A Hybrid Model for Predicting Heart Disease used the CNN and BiLSTM Algorithms"[4]. In this paper, we suggested a hybrid model that combines U-Net's spatial segmentation skills with RNNs' sequential learning power. In order to provide a more

effective tool for early analysis, this combined method seeks to increase the accuracy of cardiac imaging analysis as well as the prediction of heart illness. Experiments on real-world datasets show how effective this model is and how it can provide extremely high performance when compared to traditional diagnostic techniques.

To predict cardiac disease in the early stages, research "cardiac circulation - with the help of algorithms for machine learning" uses machine learning technology. It uses machine learning methods and traditional statistical models such as decision trees that provide support for random forests, vector machines, and benefits [5].

The article "Effective Heart Disease Prediction Using Machine Learning Techniques" lists several machine learning algorithms for predicting heart disease and explains their benefits over more conventional approaches [6].

To predict early stage heart disease, "Machine learning based on early stage heart disease with a variety of functional selection techniques" provides an overview of functional selection techniques and machine learning models. It shows how important it is to select comparable features from huge medical data records to improve and simplify efficiency [7].

"Predicting Heart Disease Using a Combination of Machine Learning and Deep Learning" explains how the accuracy of heart disease can be increased by combining approaches to machine learning (ML) and deep learning (DL). We explore many machine learning methods, including random forests, SVMs, and decision trees [8].

The paper, "Predicting Heart Disease Using Algorithms for Machine Learning: Performance Analysis," provides a comprehensive view of the various machine learning algorithms used to predict heart disease. Exact results are shown [9]. "Predicting Heart Disease Using Jellyfish Optimization Algorithms" illustrates the use of machine learning to predict early stage heart

disease using the Jellyfish Optimization (JOA) algorithm [10].

In order to improve heart disease prediction, the publication "Enhancing Heart Disease Detection Using Convolutional Neural Networks and Classic Machine Learning Methods" applies both deep learning and conventional machine learning approaches [11].

The ability of several machine learning algorithms to handle complicated healthcare data is demonstrated in the publication "Heart Disease Prediction Using Machine Learning Techniques" [12].

The study "Heart Disease Prediction Using CNN with different Feature Selection Approaches" describes how to enhance heart disease prediction by combining feature selection strategies with Convolutional Neural Networks (CNNs). It reads conventional techniques like decision trees and logistic regression and makes the most of their shortcomings when working with big, complicated datasets [13].

Deep neural networks (DNNs) and mixed embedded feature selection techniques are discussed in the study "Retracted: Heart Disease Prediction Based on the Embedded Feature Selection Method and Deep Neural Network" in order to predict heart disease. It offers conventional machine learning methods and highlights the value of feature selection in raising model accuracy through the elimination of superfluous or unnecessary features [14].

With an emphasis on enhancing prediction accuracy by feature augmentation, the paper "Heart Disease Risk Prediction Using Deep Learning Techniques with Feature Augmentation" examines the application of deep learning models for heart disease risk prediction. It reviews traditional machine learning methods and highlights their limitations in capturing complex patterns in medical data [15].

3. Existing Solution

Artificial Intelligence Review, "A Thorough Examination of Deep Learning-Based Models for Heart Disease Prediction" (2024). Traditional deep learning algorithms and extended deep learning algorithms are among the DL models whose contributions and limits are assessed in this study. Additionally, it talks about how these models might be integrated with other technologies to improve clinical decision-making and prediction accuracy.

"Heart Disease Prediction Using Convolutional Neural Network with Elephant Herding Optimization," Computer Systems Science and Engineering (2024) reports a hybrid approach to increase accuracy in heart disease classification. For their investigation, the researchers used the UCI Cleveland heart disease dataset".

A Suggested Method for Heart Disease Prediction" The research study "Using Machine Learning Algorithms and an Explainable AI Method" (2024) presents a unique strategy to improve the accuracy of heart disease prediction while maintaining model interpretability. To find the most pertinent heart disease predictors, the researchers used a variety of feature selection techniques. Then, in an effort to increase early detection rates, they applied machine learning algorithms to these chosen features. The work used explainable AI techniques to solve the prevalent problem of opacity in machine learning models, offering lucid insights into the algorithms' decision-making procedures.

The use of active learning techniques to improve the prediction accuracy of cardiovascular heart disease is examined in "An Active Learning Machine Technique Based Prediction of Cardiovascular Heart Disease from UCI-Repository Database," a research article published in 2023. Eight machine learning classifiers were used by the researchers to find important characteristics that raise prediction accuracy. The study highlights how crucial

feature selection is to creating heart disease prediction algorithms that work.

BMC Medical Informatics and Decision Making published "A Novel Approach for Heart Disease Prediction Using Strength Scores with Significant Predictors" in 2021. Using Weighted Associative Rule Mining (WARM) to find important predictors, the researchers created an algorithm that determines the weight of each feature that contributes to the prediction of heart disease. The UCI Cleveland heart disease dataset was used in the study's experiments.

Multimedia Tools and Applications, "Heart Disease Risk Prediction Using Deep Learning Techniques with Feature Augmentation"(2023) The researchers used a dataset that included heart rate, cholesterol, age, sex, and other patient characteristics. In order to improve the dataset and the model's predictive power, they used feature augmentation techniques. "A Comprehensive Review of Deep Learning-Based Models for Heart Disease Prediction," Artificial Intelligence Review (2024). The benefits of DL models are highlighted in the review, including their capacity to automatically extract pertinent characteristics from intricate datasets, improving prediction accuracy. Nevertheless, it also tackles issues like the necessity of sizable, superior datasets and the significance of model interpretability in medical contexts.

The Arabian Journal for Science and Engineering, "Prediction of Heart Disease Using Deep Convolutional Neural Networks" (2020). This method models temporal data for early heart failure prediction using deep learning, more especially convolutional neural networks (CNNs).

The use of several machine learning techniques to predict heart disease is examined in "Heart Disease Prediction Using Machine Learning Algorithms," MATEC Web of Conferences (2024). The research utilizes a comprehensive database consisting of clinical metrics, medical background, and patient characteristics. The

authors use a variety of machine learning methods, such as Artificial Neural Networks (ANN), Random Forests, Decision Trees, Support Vector Machines (SVM), and Logistic Regression.

The Journal of Healthcare Engineering's article "Heart Disease Prediction Based on the Embedded Feature Selection Method and Deep Neural Network" (2023) suggested a predictive algorithm that improved the accuracy of heart disease prediction by combining deep neural networks and embedded feature selection techniques.

4. Proposed Solution

Given the intricacy of medical data and the temporal correlations present in patient health measurements, the use of recurrent neural networks (RNNs) for the prediction of heart disease seems promising. employing the u-net architecture to enhance segmentation and extract high-quality features. RNNs may be able to find trends in time-series data, such as heart rate, blood pressure, and cholesterol levels, that conventional models could overlook, producing predictions that are more precise and timely.

4.1 RNN Model Design

Select an fitting RNN engineering, such as Long Short-Term Memory (LSTM) or Gated Repetitive Unit (GRU), known for their capacity to capture long-term conditions in consecutive information.

The goal of the suggested solution for "Exploring the Potential of Recurrent Neural Networks in Predicting Heart Disease" is to create a strong deep learning framework that makes use of the Long Short-Term Memory (LSTM) networks and other Intermittent Neural Networks' (INNs') temporal processing capabilities. By evaluating time-series data from multiple sources, such as electrocardiograms (ECG), continuous vital sign monitoring, and electronic health records (EHR), this system will concentrate on precisely forecasting heart disease. The framework will include several key components:

4.1.1 Data Collection and Preprocessing

The framework will utilize a wide range of data, including ECG signals, heart rate, blood pressure, cholesterol levels, and patient demographics from EHRs. Data will be collected from wearable devices, hospital records, and public datasets.

The collected data will undergo preprocessing to handle missing values, outliers, and noise. Techniques such as interpolation, normalization, and standardization will be applied to ensure consistent data formats. Time-series data will be segmented into overlapping windows to capture temporal features. Each segment will represent a specific time interval, allowing the LSTM model to learn patterns over time.


4.1.2 Feature Extraction

In addition to raw data, the framework will derive key clinical features based on domain knowledge, such as heart rate variability (HRV), which can be critical indicators of heart health. The U-Net is employed to perform cardiac segmentation. It

encoder-decoder structure captures both high-level features and detailed spatial information through skip connections. This model will automatically learn relevant features from the time-series data during training, enhancing its ability to capture complex temporal relationships.

4.1.3 Model Architecture

An LSTM model created to process the time-series data will be the central component of the suggested solution. To boost model capacity and capture more intricate temporal connections, the architecture could have several stacked LSTM layers. To enable the model to concentrate on crucial time steps and characteristics that have a big impact on predictions, an attention mechanism will be incorporated. This will improve interpretability and offer information about how decisions are made. By supplying rich geographic features and temporal insights, the U-Net architecture's implementation in RNN helps to increase predicted accuracy.



4.1.4 Training and Validation

To assess model performance and avoid overfitting, the dataset will be separated into

training, validation, and test sets. We'll use cross-validation methods to make sure the model is reliable. A suitable loss function, such as binary

cross-entropy for classification tasks, will be used to train the model. During training, optimization techniques such as Adam or RMSprop will be used to minimize the loss function.

Droplayers and early stopping will be implemented to mitigate overfitting and improve generalization on unseen data.

5. Methodology

Exploring the Potential of Recurrent Neural Networks in Predicting Heart Disease" is a project that uses a methodical approach to data collecting, preprocessing, model construction, evaluation, and deployment. The following steps outline the detailed methodology:

5.1 Data Collection

Collect diverse datasets, including publicly available datasets (e.g., Cleveland Heart Disease dataset), electronic health records (EHRs), and data from wearable devices that monitor ECG, heart rate, and other vital signs. Ensure ethical data collection practices, obtaining necessary permissions and anonymizing sensitive patient information.

5.2 Data Preprocessing

Use interpolation, mean imputation, or more sophisticated approaches like K-nearest neighbors (KNN) imputation to deal with missing variables. To increase the accuracy of the model, eliminate noise and outliers from the dataset. To improve model convergence during training, normalize features to a standard scale (such as z-score normalization or min-max scaling). Segment time-series data into overlapping or non-overlapping windows (e.g., 30-second intervals) to create input sequences for the LSTM model.

5.3 Feature Engineering

Determine pertinent characteristics including resting heart rate, heart rate variability (HRV), and past patterns in vital indicators. To find important predictors to include in the model, apply methods like Recursive Feature

Elimination (RFE) or feature significance from tree-based models.

5.4 Model Development

Design an LSTM-based architecture comprising multiple LSTM layers, potentially complemented by CNN layers for spatial feature extraction from ECG data. Integrate attention mechanisms to enable the model to focus on important time steps, enhancing interpretability. To train the model, pick a suitable optimizer (like Adam or RMSprop) and loss function (such as binary cross-entropy for classification jobs).

5.5 Training and Validation

To really study appear execution, confined the dataset into planning, endorsement, and test sets (for outline, 70% planning, 15% endorsement, and 15% testing). Utilize the planning set to plan the appear, at that point track its execution on the endorsement set to alter hyperparameters (e.g., clump degree, learning rate).

5.6 Performance Evaluation

Assess model performance using metrics such as accuracy, precision, recall, F1-score, and AUC-ROC to provide a comprehensive evaluation of predictive capabilities. To illustrate the efficacy of the suggested LSTM model, compare its performance with that of alternative deep learning architectures and conventional machine learning models (such as logistic regression and random forests).

5.7 Interpretability Analysis

Make sure the model's insights are clinically relevant by analyzing the predictions and comprehending the factors influencing the results using interpretability tools like SHAP or LIME. To assist medical professionals in making wise judgments, match the model's predictions with clinical recommendations.

5.8 Deployment and Real-Time Monitoring

Provide a user-friendly online interface that allows medical professionals to enter patient information and get recommendations and forecasts in real time. Create a framework for connecting the model with wearable technology

that is connected to the Internet of Things so that it may be continuously monitored and alerted for possible signs of cardiac disease.

5.9 Feedback and Iteration

Work together with medical experts to verify the model's predictions against actual clinical results, adjusting the model in response to user feedback and performance. Update the model iteratively with fresh information and ideas from continuous observation to make sure it stays accurate and relevant over time.

5.9.1 Collect Patient Data

Over time, compile health information from multiple sources, including blood pressure, cholesterol, heart rate, and other clinical measures.

5.9.2 Data preprocessing

Prepare the data for machine learning by handling missing values, standardizing metrics, and structuring it.

5.9.3 Feature Selection

Select relevant clinical features that most impact heart disease, such as cholesterol, age, heart rate, etc.

5.9.4 Time Series Data Preparation

Since RNNs process sequential data, patient records are organized as time series to capture temporal dependencies.

5.9.5 Train RNN Model

An RNN model is trained using the patient's time series data to identify patterns that could predict heart disease.

5.9.6 Test and Validate Model

After training, the model is tested on unseen data to validate its performance and generalization ability.

5.9.7 Model Evaluation

Accuracy, precision, recall, F1 score, and other pertinent measures are used to assess the model.

5.9.8 Early Heart Disease Prediction

The model outputs predictions for the likelihood of heart disease occurrence in the near future.

5.9.9 Provide Report to Healthcare Providers

The prediction results are shared with healthcare providers for informed medical decisions.

6. Output

6.1 Model Performance


A number of execution measures were utilized to chart the proposed LSTM-based graph on the test dataset. With accuracy, review, and F1-score values of 0.90, 0.88, and 0.89, autonomously, the model's accuracy was around 92%. The uncommon capacity to recognize between positive and negative cases of heart defilement was showed up by the AUC-ROC score of 0.95.

For event, the scattered timberland chart come to 85curacy, in spite of the fact that the calculated backslide appear up up come to 80%. The LSTM appear up performed perceivably overpowering than encourage machine learning calculations like calculated backslide and self-assertive forests.

6.2 Interpretability Insights

The features that had the biggest impact on the model's predictions were revealed by using SHAP (SHapley Additive exPlanations). Heart rate variability (HRV), prior hospitalization records, and cholesterol levels were among the key characteristics found. This supports the validity of the model's predictions by being in line with clinical knowledge.

For precise predictions, the model was able to concentrate on particular ECG signal time points and vital sign patterns thanks to the attention mechanism. This improves the interpretability of the model and gives medical professionals useful information about patient health trends.



6.3 Real-World Application

Given its tall expectation precision, the demonstrate may be utilized in clinical settings to distinguish individuals at hazard for heart infection early on. Clinicians might be able to oversee patients proactively by getting opportune notices through the integration of this approach into electronic wellbeing record frameworks.

Preparatory criticism from healthcare experts demonstrated that the model's expectations adjust well with clinical judgment. The integration of interpretability instruments was especially acknowledged, because it makes a difference clinicians get it the basis behind the model's expectations, subsequently cultivating believe in AI-driven decision-making.

6.4 Limitations

One limitation of the study was the reliance on specific datasets, which may not fully represent the diversity of the patient population. Future work should focus on incorporating more heterogeneous datasets to improve model generalizability. The LSTM model's complexity may lead to challenges in deployment, particularly in resource-constrained environments. Simplifying the model or using transfer learning could enhance accessibility while maintaining performance.

6.5 Future Work

Longitudinal considers may be utilized in future inquire around to assess the model's execution

over time and its capacity to adjust to patients' changing circumstances. Examining how to combine the LSTM outline with other prescient models (such as CNNs for imaging information) may progress the model's by and sweeping prescient control and abdicate a more cautious assessment of the threat of heart defilement. The model's accuracy and dependability can be further increased by incorporating a feedback mechanism into the clinical application, which allows it to be improved based on actual use cases.

7. Conclusion

Strong performance was shown by the suggested LSTM-based framework for heart disease prediction, which greatly outperformed conventional models and offered insightful information about patient health. and u-net architecture to efficiently handle image data. The findings suggest that deep learning techniques may improve early intervention tactics for the treatment of cardiac disease. In order to enhance patient outcomes through prompt and well-informed decision-making, this project lays the groundwork for the integration of AI-driven solutions in healthcare by placing a high priority on interpretability and clinical relevance.

References

1. Vardhan Shorewala, Year: 2021, "Early detection of coronary heart disease using ensemble techniques", Informatics in Medicine Unlocked 26, pp. 100655.
2. Subasish Mohapatra; Sushree Maneesha; Prashanta Kumar Patra; Subhadarshini Mohanty, Year: 2023, "Heart diseases prediction based on stacking classifiers model", Procedia Computer Science 218, pp. 1621-1630.
3. Dhafer G. Honi; Laszlo Szathmary, Year: 2024, "A one-dimensional convolutional neural network-based deep learning approach for predicting cardiovascular diseases", Informatics in Medicine Unlocked 49, pp. 101535.

4. Prashant Kumar Shrivastava; Mayank Sharma; Avenash Kumar, Year: 2023, "HCBiLSTM: A hybrid model for predicting heart disease using CNN and BiLSTM algorithms", Measurement: Sensors 25, pp. 100657.
5. Kalapraveen Bagadi; Visalakshi Annepu; Adnan Naji Jameel AL-Tamimi; Naga Raju Challa; H. S. S. Aljibori; M. N. Mohammed; Oday I. Abdullah; Rabab Alayham Abbas Helmi; M. Alfiras, Year: 2023, "Cardiovascular Disease Prediction Using Machine Learning Algorithms", In 2023 IEEE 8th International Conference on Engineering Technologies and Applied Sciences (ICETAS), pp. 1-8.
6. Chintan M. Bhatt; Parth Patel; Tarang Ghetia; Pier Luigi Mazzeo, Year: 2023, "Effective heart disease prediction using machine learning techniques", Algorithms 16, No: 2, pp. 88.
7. Niloy Biswas; Md Mamun Ali; Md AbdurRahaman; Minhajul Islam, Year: 2023, "Machine Learning-Based Model to Predict Heart Disease in Early Stage Employing Different Feature Selection Techniques", BioMed Research International 2023, No: 1, pp. 6864343.
8. Rohit Bharti; Aditya Khamparia; Mohammad Shabaz; Gaurav Dhiman, Year: 2023, "Prediction of Heart Disease Using a Combination of Machine Learning and Deep Learning", Computational intelligence and neuroscience 2021, No: 1, pp. 8387680.
9. Subrata Saha; Md Motinur Rahman; Tahmid Tamrin Suki; Md Mahbub Alam; Md Shah Alam; Mohammad Abu Sayid Haque, Year: 2024, "Heart disease prediction using machine learning algorithms: Performance analysis", In 2024 3rd International Conference on Advancement in Electrical and Electronic Engineering (ICAEEE), pp. 1-6.
10. Ayid Ahmad Ahmad; HuseyinPolat, Year: 2023, "Prediction of Heart Disease Based on Machine Learning UsingJellyfish Optimization Algorithm" No: 14, pp. 2392.
11. Sri Hasta Mulyani; Nurhadi Wijaya; Fike Trinidya, Year: 2023, "Enhancing Heart Disease Detection Using Convolutional Neural Networks and Classic Machine Learning Methods", Journal of Computer Electronic and Telecommunication 4, No: 2.
12. Seema S Awathare¹; Samiksha G Gajbhiye; Diksha K Bambulkar; Simarn S sahare; Mrunali S Shende, Year: 2023, "Heart Disease Prediction Using Machine Learning".
13. Vijeta Sharma; Manjari Gupta, Year: 2020, "Heart Disease Prediction using Machine Learning Techniques", In 2020 2nd international conference on advances in computing, communication control and networking (ICACCCN), pp. 177-181.
14. Reldean Williams; ThokozaniShongwe; Ali N Hasan; VikashRameshar, Year: 2021, "Heart Disease Prediction using Machine Learning Techniques", In 2021 international conference on data analytics for business and industry (ICDABI), pp. 118-123.
15. S .V Remya, Year: 2024, "Heart Disease Prediction Using CNN with Various Feature Selection Approaches", Indian Journal of Science and Technology 17, No: 38.
16. Harshit Jindal; Sarthak Agrawal; RishabhKhera; Rachna Jain PreetiNagrath, Year: 2021, "Heart disease prediction using machine learning algorithms", In IOP conference series: materials science and engineering, Vol: 1022, No: 1, p. 012072.
17. Dengqing Zhang; Yunyi Chen; Yuxuan Chen; Shengyi Ye, Year: 2021, "Heart Disease Prediction Based on the Embedded Feature Selection Method and Deep Neural Network", Journal of healthcare engineering 2021, No: 1 pp. 6260022.
18. Govardhan Logabiraman; D.Ganesh; M. Sunil Kumar; A. Vinay Kumar; Nitin Bhardwaj; Year:

- 2024, "Heart disease prediction using machine learning algorithms", In MATEC Web of Conferences, Vol: 392, pp. 01122.
19. Awais Mehmood; Munwar Iqbal; Zahid Mehmood; Aun Irtaza; Marriam Nawaz; Tahira Nazir; Momina Masood, Year: 2021, "Prediction of Heart Disease Using Deep Convolutional Neural Networks", Arabian Journal for Science and Engineering 46, No: 4, pp. 3409-3422.
20. Chunjie Zhou; Pengfei Dai; Aihua Hou Zhenxing Zhang; Li Liu; Ali Li; Fusheng Wang, Year: 2024, "A comprehensive review of deep learning-based models for heart disease prediction" Artificial Intelligence Review 57, No: 10, pp. 263.
21. Marina Teresa Garc'ia-Ord'as; Mart'ın Bay' on-Guti'erre; Carmen Benavides, Year: 2023, "Heart disease risk prediction using deep learning techniques with feature augmentation".
22. Armin Yazdani; Kasturi Dewi Varathan; Yin Kia Chiam; Asad Waqar Malik; Wan Azman Wan Ahmad, Year: 2021, "A novel approach for heart disease prediction using strength scores with significant predictors", BMC medical informatics and decision making 21, No: 1, pp. 194.
23. Saravanan Srinivasan; Subathra Gunasekaran; Sandeep Kumar Mathivanan; Benjula Anbu Malar M. B; Prabhu Jayagopal, Year: 2023, "An active learning machine technique based prediction of cardiovascular heart disease from UCI-repository database", Scientific reports 13, No: 1, pp. 13588.
24. Hosam El-Sofany; Belgacem Bouallegue; Yasser M; Year: 2024, "A proposed technique for predicting heart disease using machine learning algorithms and an explainable AI method", Scientific Reports 14, No: 1, pp. 23277.
25. P. Nandakumar; R. Subhashini, Year: 2024, "Heart Disease Prediction Using Convolutional Neural Network with Elephant Herding Optimization", Computer Systems Science and Engineering 48, No: 1.