



Urban "Digital Twins" for Smart Cities and Citizens

Saranya C¹, Haripriya K², Bhargava S³, CM Tejashree⁴, Joel T Thomas⁵

¹Assistant Professor, Department of CSE, Sri Sairam College of Engineering, Anekal,
Bengaluru

^{2,3,4,5} Students, Department of CSE, Sri Sairam College of Engineering, Anekal, Bengaluru

ABSTRACT

Despite the abundance of urban data available and the possibility of improving decision-making city administration skills, and infrastructure, contemporary data-driven methods for city data-based knowledge discovery cannot frequently use collective data. In a loose manner specified elements for data interpretation, or disciplinary discrete analyses of particular datasets make it simple to ignore essential subject knowledge, frequently leading to speculative decisions. Intelligent City Digital twins are intended to get past this obstacle by incorporating analytics and visualization that are more comprehensive approaches to knowledge discovery in real-time procedure from diverse city-data. Here, we offer a spatiotemporal knowledge discovery framework that integrates social and sensor data and allows for insights from human cognition for the collective exploitation of city data in smart city digital twins. Even though these applications are effective, they frequently use vast quantities of high-dimensional and multi-domain data to monitor and characterize various urban sub-systems. This poses problems in application areas where data availability and quality are restricted, as well as expensive efforts to generate urban scenarios and design alternatives. Generative Artificial Intelligence (GenAI) models are a new field of study in deep learning that has shown promise in producing original material. With an emphasis on several urban sub-systems, including building and infrastructure, energy, water, and transportation, this article attempts to investigate the creative integration of GenAI approaches with urban digital twins to address issues in the planning and administration of built environments.

Keywords: Urban Digital Twins, Smart City Data Analysis, Spatiotemporal Knowledge Discovery, Data Driven City Planning, Generative AI (GenAI) for Urban Environments, Real-Time Data Analytics, City Data Visualization and Insights, Smart City Scenario Modelling.

1 Introduction

A virtual representation of a real-world system, process, or physical thing that replicates it in real time is called a digital twin. Digital twins allow for analysis, prediction, and performance optimization by simulating and tracking the current state, condition, or behaviour of the physical object using data from sensors and other Internet of Things devices. In order to give insights that aid in decision-making and boost operational efficiency, this technology combines a variety of data sources, such as historical and real-time data, with analytics, artificial intelligence, and machine learning. The idea of DT has been widely applied to increase performance, lower costs, and optimize operations in a variety of industries, including manufacturing, aerospace, healthcare, and urban systems. Urban Digital Twins (UDT) are a



platform for evaluating, simulating, and improving complex urban systems. The DT concept has recently attracted a lot of attention in the field of urban systems. A UDT is able to build a virtual model of a smart city and replicate elements like traffic congestion, weather patterns, and human movement. This can support inclusive and effective decision making. Before the big data revolution and the emergence of new urban data sources, academics primarily used theoretical approaches to study the dynamics of cities at relatively high levels of abstraction. Researchers have recently started to turn their attention to the challenge of interpreting the deluge of high-resolution spatiotemporal city data that is currently accessible, connecting it to escalating urbanization concerns. Making decisions that will influence cities' futures and the standard of living for their residents depends on how we interpret this new wealth of civic data. The biggest infrastructure components and sustainability shortfall are typically taken into consideration while analyzing a city. Although a city's infrastructure systems give its residents access to essential services like energy, water, transportation, and communication, these systems have a big influence on sustainability. According to research, urban infrastructure influences all five of the Sustainable Development Goals (SDGs 3, 6, 7, 9, and 11) of the United Nations (UN) 2030 Agenda [1, 2], underscoring the significance of interdependencies among city infrastructure and their combined influence on urban sustainability. High resolution spatiotemporal sensor data is becoming available for municipal infrastructure services, creating significant chances to capitalize on its special potential to facilitate improved decision-making and sustainable city administration. In general, digital technology and their applications are crucial for procedures that connect formal and rational information for more intelligent, sustainable city government that incorporates citizen experience and supports an intelligent, democratic urban planning process. In this case, it is crucial to model and visualize intricate data and processes, including the involvement of underrepresented groups. In this regard, digital twins can address intricate urban difficulties. However, digital twins have just lately been explored for usage in towns; up until now, they have mostly been utilized in the engineering sector in the modeling and simulation space.

2 Related Works

Depending on the Systematic Literature Review (SLR) technique used, literature reviews on urban digital twins can be categorized into two primary groups. Well-known research have introduced and presented the concepts of digital twin cities from many angles in literature reviews that do not use SLR.

For instance, [1] used the ideas of digital twins to assess the features of smart cities. [2], in turn, looked into the digital twin technologies that were already in use and suggested an urban digital twin pattern based on smart city development. Taking a different approach, examined current research on digital twins that was used in the context of smart cities. Additionally, they tried to make comparisons to Industry 4.0's use of digital twins. A digital twin conceptual framework for critical infrastructure resilience was presented by [4], who also carried out a thorough



requirements study on infrastructure features, crisis management, and resilience measures. Lastly, [5] looked at digital twin technologies that meet the demands of daily city operations. Reviews of the literature on SLR concentrated on the connections between urban digital twins and a variety of uses and applications. For instance, [6] looked into the potential and difficulties of city digital twins, both now and in the future. [7], in turn, explored how to integrate DT with Federated Learning (FL) for applications based in smart cities and how to govern them. On a different note, [8] examined research on the combination of Building Information Models (BIM) with Geographic Information Systems (GIS) for smart, sustainable city planning. Other recent studies concentrated on characterizing integrated research frameworks for digital twin-supported smart cities [11], defining a research agenda for UDTs for infrastructure resilience [9], and determining the maturity level of city digital twins [10].

A conceptual framework based on the completed SLR has been suggested by literature reviews. [12] Sought to explore the potential of digital twins for smart cities in general and focused on indoor disaster management in accordance with earlier research. On the basis of that, a methodology and conceptual framework for building a digital twin of smart cities for interior risks are suggested. Suggested a framework for urban digital twins that emphasizes the technical aspect of infrastructure management through the provision of urban services. This was accomplished by mapping current initiatives in terms of UDT applications, inputs, processing, and outputs. Despite proposing conceptual frameworks, the investigations of [12] and [13] did not include case studies to verify the applicability of the frameworks they constructed. Shaharuddin et al. created a conceptual framework that consists of three primary parts: the digital twin, the smart city, and the dynamic relationship between them. An urban digital twin structure of five layers—physical, data collecting, digital modeling, simulation, and service layers—was subsequently created by FerreBigorra et al. In our study, we explore some of the ideas and elements presented in those studies and add more elements of our suggested framework.

Suggested a conceptual model for the overall layout of a digital twin for urban logistics. They created a design for an urban logistics digital twin using a knowledge graph, which a logistics service provider might use to organize their daily operations with reference to Vehicle Routing Problems (VRP). As an example, they look at a typical VRP with time windows and capacity restrictions for routing operation planning. Developed a use case for digital twin applications in urban logistics that is predicated on the suggested conceptual framework. Three case models—the VRP, traffic, and demand cases—are included in the use case, which examines the administration of an urban consolidation center. The VRP solver's job is to identify the best pickup and delivery stop sequences and pertinent routes across the network. Getting a precise estimate of travel times over the next few minutes or hours is the aim of the traffic solver. Predicting general and seasonal trends in the overall daily demand for transportation, as well as demand spikes during particular times of the year, is the goal of the Demand Solver. Despite the fact that and offer case studies within their suggested framework, they both concentrate on a particular urban system—the digital twin for urban logistics. The approach adopted in this



paper is more general and provides a unified view for the analysis and comparison of urban digital twins.

3 Materials and Methods

This paper's technique was divided into three primary stages. Data collection and integration, data processing and simulation, and visualization are the topics of the first phase. The second includes creating the digital model, creating the simulation models, creating the user interface and visualization, testing and calibration, and developing the tools and technologies. Lastly, we go over the benefits and applications of urban digital twins while introducing a conceptual framework.

3.1 Data Collection and Integration

The best way to conceptualize evolving complex systems is as dynamic networks of interconnected linkages and interactions. These relationships and interactions between people, infrastructure, and technologies in cities [16], both spatially and temporally, cannot be seen as separate entities and subjected to independent analysis. IoT devices, satellite imaging, GIS data, traffic sensors, utility data, and climate models are just a few of the many sources of data. Aspects such as energy consumption, air quality, traffic flow, weather, and citizen movement may be covered by this data. Depending on the type and purpose of the data, it can be gathered in real-time, near real-time, or periodically (e.g., utility data can be collected daily, whereas traffic data may require real-time changes). Urban scientists and planners now have access to spatial data like satellite images and aerial photography thanks to the development of geographic information system (GIS) technology in the 1960s.

Global positioning system (GPS) technology has been widely used in recent years, both at the individual (smartphones, wearable devices) and infrastructure (IoT sensors and devices in buildings and transportation networks) levels. As a result, spatial data is now generated in much larger volumes and with finer resolutions, and it is streamed at a real-time temporal resolution. Furthermore, the availability of social media sites on mobile devices, such as Facebook, YouTube, Instagram, and Twitter, has led to a massive surge in more intricate urban georeferenced socioeconomic data. Modeling and simulations are made possible by the availability of this degree of high-resolution spatiotemporal data in cities, which enables the capture of dynamic interactions and interdependencies both in space and over time. Nevertheless, it is still difficult to extract and aggregate useful knowledge from such diverse sources of urban data, and problems with noise and missing data arise when combining heterogeneous datasets and connecting structured and unstructured data.

Integrating Diverse Formats: Information from multiple sources is frequently in disparate formats, such as unstructured, semi-structured, and structured. Converting these disparate formats into a single data model that the digital twin can understand and utilize is necessary for integration.



Spatial and Temporal Alignment: To produce precise, contextually relevant insights for simulations, data must be aligned both geographically (e.g., exact city locations) and chronologically (proper timestamps).

Data Fusion and Interoperability: Interoperability protocols and occasionally middleware are necessary for the smooth communication of various platforms and systems, which enables the efficient synchronization and fusion of data from various sources.

3.2 Data Processing & Simulation

Cleaning and Structuring: Raw data collected from various sources is cleaned, standardized, and structured to ensure consistency.

Transformation: Data is often transformed into a format compatible with simulation models including normalization, scaling, and encoding processes.

Data Storage: Processed data is then stored in databases or cloud platforms, ready for simulation. Store and manage this large volume of data using a cloud-based database that allows real-time access and scalability. Tools like Azure Digital Twins, Google Cloud IoT, or AWS IoT are suitable for this purpose.

Modelling Real-Life Scenarios: The digital twin uses processed data to model real-world events like traffic patterns or energy consumption.

Predictive Analysis: AI models analyse trends and predict future outcomes based on data, helping planners test various scenarios.

Continuous Feedback Loop: Real-time data updates the model, allowing it to respond dynamically to changes, making simulations increasingly accurate.



3.3 Build the Digital Model and develop the simulation

3D Model Creation: Develop a 3D model of the city with buildings, roads, transport lines, and utility grids. Software like Unity, Unreal Engine, or GIS-based platforms such as Esri's ArcGIS can help build these models.

Data Mapping: Connect the 3D model to data streams so that every element within the digital twin (e.g., buildings, streets, traffic lights) reflects its real-world counterpart.



Platform Development: Develop an interface where urban planners can visualize real-time city data, test scenarios, and simulate changes. This platform should allow for interaction with the twin through a dashboard or control center.

Traffic Flow Model: Use algorithms to simulate vehicle movement and traffic patterns. Machine learning models can predict future traffic congestion based on historical and current data.

Energy Consumption Model: Implement algorithms to analyze energy demand across city zones. Simulations can predict demand spikes and suggest ways to balance energy usage.

Public Transport Model: Model public transportation systems by simulating transit schedules, passenger loads, and service efficiency. Simulations here help optimize routes and schedules.

Environmental and Weather Impact: Incorporate environmental models, which include weather forecasts and pollution data, to assess how these factors impact traffic, energy, and overall city efficiency.

4 Framework Analysis


In this paper, a feature is defined as an activity that is supposed to be performed by a framework component, and it is called a framework feature. The features are derived from the service components.

Twinning: To duplicate physical entities in the real world in the form of virtual entities in the cyber world at a point in time. **Capturing:** to collect data in a spatial format within the virtual world, which is the geolocation of physical entities. **Sensing:** to collect data related to the measurement of physical entities.

Exploring: To create new knowledge and provide insights for stakeholders about physical entities. **Organizing:** To store, browse, retrieve, update, convert, secure and integrate information about physical entities. **Monitoring:** To state the status and performance of physical entities. **Analysing:** To uncover new information about properties and behaviors of physical entities through computing, mining, simulating and predicting.

Interacting: To participate in knowledge-building, problem-solving, and decision-making processes using visual representations of collected and analyzed data. **Visualizing:** To form and vision a realistic representation or model of current or predicted physical entities. **Immersing:** To apply interested users in real-like experiences using immersive technologies, such as Virtual Reality (VR), Augmented Reality (AR), and Mixed Reality (MR). **Engaging:** To involve citizens and large groups of people, including decision-making processes.

Realizing: To leverage the collected and analysed data to intervene back into the real world to achieve a desirable state. **Deciding:** To design and select actions concerning the future state of physical entities **implementing:** To employ decisions about physical entities through human and/or digital actuation



5 Future Directions and Research Opportunities

To advance current city-wide digital twin implementations, we can introduce new features that enhance predictive accuracy, citizen engagement, real-time responsiveness, and environmental adaptability.

5.1 AI-Driven Predictive Analytics for Long-Term Urban Growth

Feature: Use advanced AI models to predict urban growth over decades, considering population trends, economic shifts, and climate change.

Benefit: This would help cities anticipate infrastructure needs, housing demand, and resource allocation far into the future, allowing for proactive, data-backed planning.

5.2 Adaptive Environmental Resilience Modeling

Feature: Implement climate adaptation simulations that model how climate change could affect specific areas of the city, with real-time scenario testing for heat waves, flooding, and other extreme events.

Benefit: Helps planners identify and reinforce vulnerable areas, reducing potential environmental risks and enhancing climate resilience.

5.3 Citizen Interaction Portals for Real-Time Feedback

Feature: Create a public-facing interface where citizens can view city simulations, participate in feedback surveys, and suggest or vote on urban projects.

Benefit: Increases transparency, fosters community engagement, and allows for public opinion to directly influence urban development priorities.

5.4 Personalized Urban Experience Layer

Feature: A customizable layer on the digital twin for users to interact with information relevant to them, like live updates on commute times, air quality, and local energy usage.

Benefit: Provides personalized, actionable insights for residents, enhancing their daily experience by aligning public services with individual needs.



6 Analysis and Insights

6.1 Run Simulations and Test Scenarios

Scenario Planning: Create scenarios (e.g., new building developments, traffic rerouting, power outages) to test their impact on the city. Each scenario provides insights into how infrastructure changes will affect urban dynamics.

Real-Time Analytics: Use real-time analytics and AI algorithms to assess changes and detect anomalies. For example, in the case of a sudden traffic build-up, the digital twin might suggest optimal rerouting strategies.

Feedback Loop: Continuously feed simulation results and actual data back into the model to improve its accuracy over time. This feedback loop allows the digital twin to become more predictive and reliable.

6.2 Testing and Calibration

Calibration: Calibrate the model using historical data to ensure it accurately reflects the real city dynamics.

Pilot Testing: Conduct a pilot test on a smaller section of the city before scaling up. This helps identify areas for improvement and ensures the system can handle larger data loads and simulation complexities.

Tools and Technologies:

Simulation and Modeling: Unity, Unreal Engine, Any Logic, or Simulink.

IoT and Cloud Integration: Azure Digital Twins, AWS IoT, or Google Cloud IoT.

AI and Analytics: Python, TensorFlow, or PyTorch for machine learning models; Tableau or Power BI for data visualization.

7 Practical Applications and Core Benefits

A City-Wide Digital Twin offers a range of practical uses and advantages, particularly in urban planning, infrastructure management, and city sustainability.

7.1 Traffic Flow Management

Real-Time Monitoring: Tracks current traffic patterns, identifying congested areas and providing actionable insights to reduce congestion.

Predictive Analysis: Forecasts future traffic conditions based on historical data and planned events, helping cities prevent jams by adjusting signals or suggesting alternate routes.

7.2 Infrastructure Planning and Development

Scenario Simulation: Allows urban planners to simulate new construction projects or road expansions and predict their impact on traffic, energy, and public transit.

Impact Analysis: Provides insights into how new developments (like malls or stadiums) would affect city resources, helping planners make informed decisions about land use.



7.3 Public Transportation Optimization

Route Efficiency: Analyzes transit data to optimize routes, ensuring high-demand areas receive adequate services while reducing redundancy.

Schedule Adjustment: Based on real-time data, transportation schedules can be adapted to better serve commuter needs, increasing convenience and efficiency.

7.4 Energy Consumption and Efficiency

Demand Forecasting: Predicts energy demands based on usage patterns, allowing for better distribution and preventing overloads.

Renewable Energy Integration: Models the impact of solar panels, wind farms, and other renewable resources, helping to optimize sustainable energy sources across the city.

7.5 Environmental Monitoring and Response

Pollution Tracking: Monitors air quality and pollutant levels, which can inform health advisories or restrictions on certain high-emission activities.

Climate Resilience: Simulates environmental changes, such as extreme weather events, helping cities plan for flooding, heat waves, or other climate-related risks.

7.6 Emergency Response and Public Safety

Crisis Simulation: Simulates various emergencies like fires, floods, or accidents, helping emergency services develop efficient response plans.

Resource Allocation: Predicts where resources like police, fire, or medical units may be needed most, optimizing response times and saving lives.

8 Advantages of a City-Wide Digital Twin

8.1 Enhanced Decision-Making

Urban planners and decision-makers gain a more comprehensive view of city functions, leading to more informed, data-driven decisions.

By testing different scenarios virtually, cities can avoid costly trial-and-error in real-life implementations, leading to more accurate and beneficial results.

8.2 Increased Efficiency and Reduced Costs

Cost Savings: Optimizes resource allocation (like energy and emergency services), helping reduce operational costs.

Operational Efficiency: Automates monitoring tasks and real-time analysis, which saves time and reduces the need for manual supervision.

8.3 Proactive Problem-Solving

Allows cities to identify and address issues before they escalate. For example, by monitoring realtime energy usage, a digital twin can detect a potential overload in the grid and automatically reroute energy to balance the load.



Predictive capabilities allow for preventive measures, improving resilience against disasters, equipment failures, or system inefficiencies.

8.4 Improved Public Engagement and Transparency

Digital twins can be used as communication tools to show the public the impacts of new projects, fostering community support and understanding.

They increase transparency, allowing citizens to see how their city's resources are managed and how their neighborhoods will evolve.

8.5 Support for Sustainability Goals

Optimizes energy consumption, waste management, and transportation to minimize environmental impact, supporting the city's sustainability goals.

Encourages greener practices by promoting efficient public transportation, renewable energy adoption, and better waste management.

8.6 Enhanced Collaboration among Departments

A single platform for city management breaks down silos between departments, like transport, utilities, and emergency services, enabling better coordination.

Facilitates cross-functional insights and faster decision-making since all departments access a unified data source.

8.7 Data-Driven Urban Planning

Facilitates long-term planning by providing a detailed view of city trends, enabling planners to prepare for population growth,

Helps identify underutilized spaces or resources, encouraging adaptive reuse and efficient city design.

9 Conclusion

Historically, the dynamics of cities were understood with relatively high levels of abstraction from the perspective of its largest infrastructure and their significant impact on sustainability. More recently, high resolution spatiotemporal sensor data on city infrastructure services has brought the promise of enhanced decision-making and management for cities. However, current approaches to knowledge discovery from city data lack the capacity for collective data exploitation and effective integration of domain expertise. Real-time visualization, analysis, and optimization of urban dynamics are made possible by city-wide digital twins, which are a game-changing tool for urban planning. The main features and developments of digital twins have been described in this study, including data dashboards, 3D/4D visualization, and user control options that enable urban planners to make data-driven decisions. Digital twins promote proactive urban development by improving sustainability, resilience, and public involvement through new features including AI-driven predictive analytics, real-time collaboration, and



customized urban experiences. There is a lot of promise for smarter, future-ready cities with this technology.

References

1. Li Deren; Yu Wenbo; Shao Zhenfeng, Year: 2021, “Smart city based on digital twins”, Computational Urban Science, Vol: 1, no: 1, pp. 4.
2. Tianhu Deng; Keren Zhang; and Zuo-Jun (Max) Shen, Year: 2021, “A systematic review of a digital twin city: A new pattern of urban governance toward smart cities”, Journal of Management Science and Engineering, Vol: 6, no: 2, pp. 125–134.
3. Georgios Mylonas; Athanasios Kalogeras; Georgios Kalogeras; Christos Anagnostopoulos; Christos Alexakos; Luis Muñoz, Year: 2021, “Digital twins from smart manufacturing to smart cities: A survey”, IEEE Access, Vol: 9, pp. 143222–143249.
4. Eva Brucherseifer; Hanno Winter; Andrea Mentges; Max Mühlhäuser; Martin Hellmann, “Digital twin conceptual framework for improving critical infrastructure resilience,” at - Automatisierungstechnik, Vol: 9, no: 12, pp. 1062–1080, 2021.
5. Ville V. Lehtola; Mila Koeva; Sander Oude Elberink; Paulo Raposo; Juho-Pekka Virtanen; Faridaddin Vahdatikhaki; Simone Borsci, Year: 2022, “Digital twin of a city: Review of technology serving city needs”, International Journal of Applied Earth Observation and Geoinformation, Vol: 114, pp. 102915.
6. Ehab Shahat; Chang T. Hyun; Chunho Yeom, Year: 2021, “City digital twin potentials: A review and research agenda”, Sustainability, Vol: 13, no: 6, pp. 3386.
7. Swarna Priya Ramu; Parimala Boopalan; Quoc-Viet Pham; Praveen Kumar Reddy Maddikunta; Thien Huynh-The; Mamoun Alazab; Thanh Thi Nguyen; Thippa Reddy Gadekallu, Year: 2022, “Federated learning enabled digital twins for smart cities: Concepts, recent advances, and future directions”, Sustainable Cities and Society, Vol: 79, pp. 103663.
8. Haishan Xia; Zishuo Liu; Maria Efremochkina; Xiaotong Liu, and Chunxiang Lin. Study on city digital twin technologies for sustainable smart city design: A review and bibliometric analysis of geographic information system and building information modeling integration. Sustainable Cities and Society, 84:104009, 2022.
9. Xinyue Ye; Jiaxin Du; Yu Han; Galen Newman; David Retchless; Lei Zou; Youngjib Ham; Zhenhang Cai, Year: 2023, “Developing human-centered urban digital twins for community infrastructure resilience: A research agenda”, Journal of Planning Literature, Vol: 38, no: 2, pp. 187–199.



10. Paria Eskandarpour Homa Masoumi; Sara Shirowzhan; Christopher James Pettit, Year: 2023, “City digital twins: their maturity level and differentiation from 3d city models”, *Big Earth Data*, Vol: 7, no: 1, pp. 1–36.
11. Hao Wang; Xiaowei Chen; Fu Jia; Xiaojuan Cheng, Year: 2023, “Digital twin-supported smart city: Status, challenges and future research directions”, *Expert Systems with Applications*, Vol: 217, no: 119531.
12. S. Shaharuddin; K. N. Abdul Maulud; S. A. F. Syed Abdul Rahman; A. I. Che Ani, Year: 2022, “Digital twin for indoor disaster in smart city: A systematic review. The International Archives of the Photogrammetry,” *Remote Sensing and Spatial Information Sciences*, pp. 315–322.
13. Jaume Ferré-Bigorra; Miquel Casals; Marta Gangolells, Year: 2022, “The adoption of urban digital twins”, *Cities*, Vol: 131, pp. 103905.
14. Laurens Blik Abdo Abouelrous; Yingqian Zhang, Year: 2023, “Digital twin applications in urban logistics: an overview”, *Urban, Planning and Transport Research*, Vol: 11, no: 1, pp. 2216768.
15. Abdelhadi Belfadel; Sebastian Hörl; Rodrigo Javier Tapia; Dimitra Politaki; Ibad Kureshi; Lorant Tavasszy; Jakob Puchinger, Year: 2023, “A conceptual digital twin framework for city logistics. Computers,” *Environment and Urban Systems*, Vol: 103, no: 101989.
16. N. Mohammadi; J. E. Taylor, Year: 2017, “Smart city digital twins,” in *The 2017 IEEE Symposium Series on Computational Intelligence (IEEE SSCI 2017)*, (Honolulu, Hawaii, USA), IEEE.
17. Ahmad afif supianto; Wajeeha Nasar; Dina Margrethe Aspen; Agus Hasan; Anniken Th. Karlsen; Ricardo Da Silva Torres, “An Urban digital twin framework for reference and planning.”
18. Ramy Al-Sehrawy; Bimal Kumar; Richard Watson, Year: 2021, “A digital twin uses classification system for urban planning and city infrastructure management”, *Journal of Information Technology in Construction*, 26 (Special issue Construction 4.0: Established and Emerging Digital Technologies within the Construction Industry (ConVR 2020)), pp. 832–862.
19. Jiman Park; Byungyun Yang, Year: 2020, “Gis-enabled digital twin system for sustainable evaluation of carbon emissions: A case study of jeonju city; South Korea”, *Sustainability*, Vol: 12, no: 21.
20. Gerhard Schrotter; Christian Hürzeler, Year: 2020, “The digital twin of the city of zurich for urban planning”, *PFG – Journal of Photogrammetry, Remote Sensing and Geoinformation Science*, Vol: 88, no: 1, pp. 99–112.
21. Qiuchen Lu; Ajith Kumar Parlikad; Philip Woodall; Gishan Don Ranasinghe; Xiang Xie; Zhenglin Liang; Eirini Konstantinou; James Heaton; Jennifer Schooling, Year: 2020, “Developing a digital twin



at building and city levels: Case study of west cambridge campus”, Journal of Management in Engineering, Vol: 36, no: 3, pp. 05020004.

22. David N. Ford; Charles M. Wolf, Year: 2020, “Smart cities with digital twin systems for disaster management”, Journal of Management in Engineering, Vol: 36, no: 4, pp. 04020027.

23. Fedwa Laamarti; Hawazin Faiz Badawi; Yezhe Ding; Faisal Arafsha; Basim Hafidh; Abdulmotaleb El Saddik, Year: 2020, “An iso/ieee 11073 standardized digital twin framework for health and well-being in smart cities”, IEEE Access, Vol: 8, pp. 105950– 105961.

24. Fabian Dembski; Uwe Wössner, Mike Letzgus; Michael Ruddat; Claudia Yamu, Year: 2020, “Urban digital twins for smart cities and citizens: The case study of herrenberg, Germany”, Sustainability, Vol: 12, no: 6, pp. 2307.

25. Seungyoub Ssin; Hochul Cho; Woontack Woo Geovcm, Year: 2021, “Virtual urban digital twin system augmenting virtual and real geo-spacial data”, In 2021 IEEE International Conference on Consumer Electronics (ICCE), pp. 1–5.

26. Martin Bauer; Flavio Cirillo; Jonathan Fürst, Gürkan Solmaz; Ernő Kovacs, Year: 2021, Urban digital twins – a fiwarebased model”, At - Automatisierungstechnik, Vol: 69, no: 12, pp. 1106– 1115.